



**S4**

## RETRACTABLE SCREENS

---

### Effortless Finger-Tip Operation for Wider Openings

The award-winning S4 Screen allows homeowners with large doors to enjoy the luxury of inside-outside living without the traditional compromises: insects, glare and loss of privacy. Designed to fit nearly any door, folding, french or sliding the S4 delivers unparalleled engineering.

Operating with just a fingertip, Centor's unique load balancing technology allows screens and shades to glide smoothly across the entire opening and effortlessly stop at any desired position. When not in use, the screen or shade retracts discreetly into the frame, removing visual distractions to the view outside while also protecting it from damage, dust or dirt.



centor®

# S4



### Finger-tip operation

Engineered to glide from any height



### Unobtrusive

Screens are there when needed & hidden when not



### Made to order

Custom-made to your specific requirements



### Reduce cooling needs

Screens allow breezes



### Replaceable

Blinds can be replaced should tastes change



## TECHNICAL BENEFITS

- Fabrics are fully retained in the frame with no gaps to allow total control of insects, sunlight and privacy.
- Screen fabric is held securely in place by top and bottom tabs, preventing screen blow-out – even in a breeze.
- S4 can be mounted on the inside or outside – drainage holes are added to the sill for externally mounted systems.
- Sill cover is quick and easy to remove to make cleaning trouble free.



# S4

## CONFIGURATIONS

### The S4 Screen & Shade system




**Single** | A single screen that extends from one side of the frame and covers the full width of the opening.



**Double** | Two screens or blinds (in the same fabric), which meet at any point along the opening.



**Combination** | A combination of two fabric types — both covering the full width, such as a screen from the left and a blind from the right.




**Corner** | Two screens or blinds (in the same fabric), meet at a 90-degree angle for post-less corner openings.



**Jambless OX or XO** | A single screen that extends from the left or right side\* of frame to cover the opening with no jamb against the glass corner.

## INSECT SCREEN OPTIONS

Insect mesh is available in two different weave styles to suit varying environmental requirements.



**Standard weave** | Keeps insects like moths, flies and mosquitoes outside with durable polyester / PVC mesh construction. Openness: 46%



**Tight weave** | Made from the same durable material but feature a smaller aperture to protect against tiny insects like midges. Openness: 37%

## SHADES OPTIONS

Centor shades come in three forms, available in a choice of fade-resistant colors to suit any internal or external palette.



Light-filtering

Sun-filtering

Blockout



# S4



# centor®

Complementary S4 Corner Screen



Complementary S2 Retractable Screen



## FRAME SIZE



Specially designed for large doors, the S4 can span 157 1/2" high and 354 13/16" wide.<sup>1</sup> See table below.

## FRAME COLOR

Constructed from durable aluminum, the frame can be painted in one of our popular colors or customized to match the colors of existing doors and windows.

Fabric type	Overall frame height	Overall frame width <sup>1</sup> (in)							Install location	
		Single	Double <sup>2</sup>	Combo	Corner	Corner XO-OX <sup>2</sup>	Jambless <sup>2</sup>	XO or OX <sup>2</sup>	Inside	Outside
Standard weave mesh	32 1/8"-126"	40"-181 1/2"	40"-354 <sup>13</sup> / <sub>16</sub> "	40"-184 1/16"	35 <sup>7</sup> / <sub>8</sub> "-180 <sup>11</sup> / <sub>16</sub> "	41 <sup>13</sup> / <sub>16</sub> "-401 <sup>3</sup> / <sub>4</sub> "	36"-401 <sup>7</sup> / <sub>8</sub> "	40"-405 <sup>15</sup> / <sub>16</sub> "	✓	✓
	126 1/16"-157 1/2"	39 <sup>15</sup> / <sub>16</sub> "-118 <sup>3</sup> / <sub>16</sub> "	39 <sup>9</sup> / <sub>16</sub> "-228 <sup>3</sup> / <sub>16</sub> "	39 <sup>15</sup> / <sub>16</sub> "-120 <sup>3</sup> / <sub>4</sub> "	~	~	35 <sup>15</sup> / <sub>16</sub> "-338 <sup>9</sup> / <sub>16</sub> "	39 <sup>15</sup> / <sub>16</sub> "-342 <sup>5</sup> / <sub>8</sub> "	✓	✓
Tight weave mesh	32 1/8"-126"	40"-181 1/2"	40"-354 <sup>13</sup> / <sub>16</sub> "	40"-184 1/16"	35 <sup>7</sup> / <sub>8</sub> "-180 <sup>11</sup> / <sub>16</sub> "	41 <sup>13</sup> / <sub>16</sub> "-401 <sup>3</sup> / <sub>4</sub> "	36"-401 <sup>7</sup> / <sub>8</sub> "	40"-405 <sup>15</sup> / <sub>16</sub> "	✓	✓
	126 1/16"-157 1/2"	39 <sup>15</sup> / <sub>16</sub> "-118 <sup>3</sup> / <sub>16</sub> "	39 <sup>9</sup> / <sub>16</sub> "-228 <sup>3</sup> / <sub>16</sub> "	39 <sup>15</sup> / <sub>16</sub> "-120 <sup>3</sup> / <sub>4</sub> "	~	~	35 <sup>15</sup> / <sub>16</sub> "-338 <sup>9</sup> / <sub>16</sub> "	39 <sup>15</sup> / <sub>16</sub> "-342 <sup>5</sup> / <sub>8</sub> "	✓	✓
Boston, blackout	32 1/8"-114 1/8"	40"-99 <sup>5</sup> / <sub>8</sub> "	40"-191 1/8"	40"-102 <sup>3</sup> / <sub>16</sub> "	35 <sup>7</sup> / <sub>8</sub> "-98 <sup>7</sup> / <sub>8</sub> "	~	~	~	✓	X
Boston, light-filtering	32 1/8" - 114 1/8"	40"-165 <sup>3</sup> / <sub>16</sub> "	40"-322 <sup>3</sup> / <sub>16</sub> "	40"-167 <sup>3</sup> / <sub>4</sub> "	35 <sup>7</sup> / <sub>8</sub> "-164 <sup>7</sup> / <sub>16</sub> "	~	~	~	✓	X
Tuscany, blackout	32 1/8"-114 1/8"	40"-107 <sup>13</sup> / <sub>16</sub> "	40"-207 1/2"	40"-110 <sup>3</sup> / <sub>8</sub> "	35 <sup>7</sup> / <sub>8</sub> "-107 <sup>1</sup> / <sub>16</sub> "	~	~	~	✓	X
Tuscany, light-filtering	32 1/8"-114 1/8"	40"-165 <sup>13</sup> / <sub>16</sub> "	40"-322 <sup>3</sup> / <sub>16</sub> "	40"-167 <sup>3</sup> / <sub>4</sub> "	35 <sup>7</sup> / <sub>8</sub> "-164 <sup>7</sup> / <sub>16</sub> "	~	~	~	✓	X
Mercury, blackout	32 1/8"-118 1/16"	40"-124 <sup>7</sup> / <sub>16</sub> "	40"-240 <sup>5</sup> / <sub>8</sub> "	40"-127"	35 <sup>7</sup> / <sub>8</sub> "-123 <sup>5</sup> / <sub>8</sub> "	~	~	~	✓	X
Mercury, light-filtering	32 1/8"-118 1/16"	40"-165 <sup>3</sup> / <sub>16</sub> "	40"-322 <sup>3</sup> / <sub>16</sub> "	40"-167 <sup>3</sup> / <sub>4</sub> "	35 <sup>7</sup> / <sub>8</sub> "-164 <sup>7</sup> / <sub>16</sub> "	~	~	~	✓	X
Sun-filter	32 1/8"-126"	40"-178 <sup>13</sup> / <sub>16</sub> "	40"-349 <sup>7</sup> / <sub>16</sub> "	40"-181 <sup>3</sup> / <sub>8</sub> "	35 <sup>7</sup> / <sub>8</sub> "-178 <sup>1</sup> / <sub>16</sub> "	~	~	~	✓	✓

<sup>1</sup> Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative color and fabric type.

<sup>2</sup> All screens over 232 5/8" will require frame joiners to head and sill.



ANY SIZE, ANY TYPE OF  
WINDOW OR DOOR

YOU DREAM IT,  
WE MAKE IT.

COLOR OPTIONS FOR  
INDIVIDUAL WINDOW DESIGN



**Eco Windows USA** provides top quality window, door & façade solutions in Brass, Steel, Aluminum, Wood and PVC. Our systems are highly customizable, allowing for almost unlimited possibilities to arrange elevations and building interiors for both residential and commercial use. Eco brand of windows and doors is made by combining precisely selected materials, premium German hardware and latest technologies. We have almost an unlimited potential in terms of both colors and their different shades. Our offer includes full consult, design & installation services.

 Eco Windows

[WWW.ECOWINDOWSUSA.COM](http://WWW.ECOWINDOWSUSA.COM)

ECO WINDOWS & DOORS

270 Main Ave

Norwalk CT 06851

O: 347.537.5707

[info@ecowindowsUSA.com](mailto:info@ecowindowsUSA.com)